

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 07/847,741
- (B) FILING DATE: 09-MAR-1992

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 07/318,050
- (B) FILING DATE: 02-MAR-1989

(vii) PRIOR APPLICATION DATA:

- (A) APPLICATION NUMBER: US 07/969,890
- (B) FILING DATE: 30-OCT-1992

(viii) ATTORNEY/AGENT INFORMATION:

- (A) NAME: Dehlinger, Peter J.
- (B) REGISTRATION NUMBER: 28,006
- (C) REFERENCE/DOCKET NUMBER: 5600-0001.36

(ix) TELECOMMUNICATION INFORMATION:

- (A) TELEPHONE: 650-324-0880
- (B) TELEFAX: 650-324-0960

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 516 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: circular

(ii) MOLECULE TYPE: DNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (A) ORGANISM: Ovis aries
- (B) STRAIN: Domestic
- (D) DEVELOPMENTAL STAGE: Blastula (blastocyst)
- (F) TISSUE TYPE: Trophectoderm

(G) CELL TYPE: Mononuclear trophectoderm cells

(vii) IMMEDIATE SOURCE:

(B) CLONE: oTP-1a

(viii) POSITION IN GENOME:

(C) UNITS: bp

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..516

(x) PUBLICATION INFORMATION:

(A) AUTHORS: Ott, Troy L

Van Heeke, Gino

Johnson, Howard M

Bazer, Fuller W

(B) TITLE: Cloning and Expression in Saccharomyces
cerevisiae of a Synthetic Gene for the Type I
Trophoblast Interferon Ovine Trophoblast
Protein-1: Purification and Antiviral Activity

(C) JOURNAL: J. Interferon Res.

(D) VOLUME: 11

(F) PAGES: 357-364

(G) DATE: 1991

(K) RELEVANT RESIDUES IN SEQ ID NO:1: FROM 1 TO 516

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

TGC TAC CTG TCG CGA AAA CTG ATG CTG GAC GCT CGA GAA AAT TTA AAA	48
Cys Tyr Leu Ser Arg Lys Leu Met Leu Asp Ala Arg Glu Asn Leu Lys	
1 5 10 15	
CTG CTG GAC CGT ATG AAT CGA TTG TCT CCG CAC AGC TGC CTG CAA GAC	96
Leu Leu Asp Arg Met Asn Arg Leu Ser Pro His Ser Cys Leu Gln Asp	
20 25 30	
CGG AAA GAC TTC GGT CTG CCG CAG GAA ATG GTT GAA GGT GAC CAA CTG	144
Arg Lys Asp Phe Gly Leu Pro Gln Glu Met Val Glu Gly Asp Gln Leu	
35 40 45	

CAA AAA GAC CAA GCT TTC CCG GTA CTG TAT GAA ATG CTG CAG CAG TCT	192
Gln Lys Asp Gln Ala Phe Pro Val Leu Tyr Glu Met Leu Gln Gln Ser	
50 55 60	
TTC AAC CTG TTC TAC ACT GAA CAT TCT TCG GCC GCT TGG GAC ACT ACT	240
Phe Asn Leu Phe Tyr Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr	
65 70 75 80	
CTT CTA GAA CAA CTG TGC ACT GGT CTG CAA CAG CAA CTG GAC CAT CTG	288
Leu Leu Glu Gln Leu Cys Thr Gly Leu Gln Gln Gln Leu Asp His Leu	
85 90 95	
GAC ACT TGC CGT GGC CAG GTT ATG GGT GAA GAA GAC TCT GAA CTG GGT	336
Asp Thr Cys Arg Gly Gln Val Met Gly Glu Glu Asp Ser Glu Leu Gly	
100 105 110	
AAC ATG GAT CCG ATC GTT ACT GTT AAA AAA TAT TTC CAG GGT ATC TAC	384
Asn Met Asp Pro Ile Val Thr Val Lys Lys Tyr Phe Gln Gly Ile Tyr	
115 120 125	
GAC TAC CTG CAG GAA AAA GGT TAC TCT GAC TGC GCT TGG GAA ATC GTA	432
Asp Tyr Leu Gln Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val	
130 135 140	
CGC GTT GAA ATG ATG CGG GCC CTG ACT GTG TCG ACT ACT CTG CAA AAA	480
Arg Val Glu Met Met Arg Ala Leu Thr Val Ser Thr Thr Leu Gln Lys	
145 150 155 160	
CGG TTA ACT AAA ATG GGT GGT GAC CTG AAT TCT CCG	516
Arg Leu Thr Lys Met Gly Gly Asp Leu Asn Ser Pro	
165 170	

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 172 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: amino acid sequence of a mature
OvIFNtau protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Cys Tyr Leu Ser Arg Lys Leu Met Leu Asp Ala Arg Glu Asn Leu Lys
1 5 10 15
Leu Leu Asp Arg Met Asn Arg Leu Ser Pro His Ser Cys Leu Gln Asp
20 25 30
Arg Lys Asp Phe Gly Leu Pro Gln Glu Met Val Glu Gly Asp Gln Leu
35 40 45
Gln Lys Asp Gln Ala Phe Pro Val Leu Tyr Glu Met Leu Gln Gln Ser
50 55 60
Phe Asn Leu Phe Tyr Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr
65 70 75 80
Leu Leu Glu Gln Leu Cys Thr Gly Leu Gln Gln Gln Leu Asp His Leu
85 90 95
Asp Thr Cys Arg Gly Gln Val Met Gly Glu Glu Asp Ser Glu Leu Gly
100 105 110
Asn Met Asp Pro Ile Val Thr Val Lys Lys Tyr Phe Gln Gly Ile Tyr
115 120 125
Asp Tyr Leu Gln Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val
130 135 140
Arg Val Glu Met Met Arg Ala Leu Thr Val Ser Thr Thr Leu Gln Lys
145 150 155 160
Arg Leu Thr Lys Met Gly Gly Asp Leu Asn Ser Pro
165 170

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 516 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: synthetic nucleotide sequence encoding a mature human interferon-tau protein, HuIFNtau1.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

TGTGACTTGT CTCAAACCA CGTTTTGGTT GGTAGAAAGA ACTTAAGACT ACTAGACGAA	60
ATGAGACGTC TATCTCCACG CTTCTGTCTA CAAGACAGAA AGGACTTCGC TTGCTCTCAG	120
GAAATGGTTG AAGGTGGCCA ACTACAAGAA GCTCAAGCGA TATCTGTTTT GCACGAAATG	180
TTGCAACAAA GCTTCAACTT GTTCCACACC GAACACTCTT CGGCCGCTTG GGACACCACC	240
TTGTTGGAAC AGCTCAGAAC CGGTTTGCAC CAACAATTGG ACAACTTGGA TGCATGTTTG	300
GGTCAAGTTA TGGGTGAAGA AGACTCTGCT CTCGGGAGAA CCGGTCCAAC GCTAGCTTTG	360
AAGAGATACT TCCAAGGTAT CCACGTTTAC TTGAAGGAAA AGGGTTACTC TGACTGTGCT	420
TGGGAAACCG TCGCTCTAGA AATCATGCGT AGCTTCTCTT CTTTGATCAG CTTGCAAGAA	480
AGATTACGTA TGATGGACGG TGACTTGTCG AGCCCA	516

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 172 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: amino acid sequence for a mature
HuIFNtau protein, HuIFNtau1.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Arg Lys Asn Leu Arg
1 5 10 15
Leu Leu Asp Glu Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp
20 25 30
Arg Lys Asp Phe Ala Leu Pro Gln Glu Met Val Glu Gly Gly Gln Leu
35 40 45
Gln Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser
50 55 60
Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr
65 70 75 80
Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asn Leu
85 90 95
Asp Ala Cys Leu Gly Gln Val Met Gly Glu Glu Asp Ser Ala Leu Gly
100 105 110
Arg Thr Gly Pro Thr Leu Ala Leu Lys Arg Tyr Phe Gln Gly Ile His
115 120 125
Val Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val
130 135 140
Arg Leu Glu Ile Met Arg Ser Phe Ser Ser Leu Ile Ser Leu Gln Glu
145 150 155 160
Arg Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
165 170

[illegible]

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 37 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 1-37
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Cys Tyr Leu Ser Arg Lys Leu Met Leu Asp Ala Arg Glu Asn Leu Lys
 5 10 15
Leu Leu Asp Arg Met Asn Arg Leu Ser Pro His Ser Cys Leu Gln Asp
 20 25 30
Arg Lys Asp Phe Gly
 35

(2) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 34-64
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Lys Asp Phe Gly Leu Pro Gln Glu Met Val Glu Gly Asp Gln Leu Gln
 5 10 15

Lys Asp Gln Ala Phe Pro Val Leu Tyr Glu Met Leu Gln Gln Ser
20 25 30

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 31 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 62-92
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Gln Gln Ser Phe Asn Leu Phe Tyr Thr Glu His Ser Ser Ala Ala Trp
5 10 15

Asp Thr Thr Leu Leu Glu Gln Leu Cys Thr Gly Leu Gln Gln Gln
20 25 30

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 33 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 90-122
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Gln Gln Gln Leu Asp His Leu Asp Thr Cys Arg Gly Gln Val Met Gly
5 10 15

Glu Glu Asp Ser Glu Leu Gly Asn Met Asp Pro Ile Val Thr Val Lys
20 25 30

Lys

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 32 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 119-150
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Thr Val Lys Lys Tyr Phe Gln Gly Ile Tyr Asp Tyr Leu Gln Glu Lys
5 10 15

Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val Arg Val Glu Met Met Arg
20 25 30

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 34 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: amino acid sequence of fragment 139-172
of SEQ ID NO:2

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Cys Ala Trp Glu Ile Val Arg Val Glu Met Met Arg Ala Leu Thr Val
5 10 15

Ser Thr Thr Leu Gln Lys Arg Leu Thr Lys Met Gly Gly Asp Leu Asn
20 25 30

Ser Pro

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 588 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau1 Human Interferon Tau coding
sequence with a leader sequence.

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..585

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

ATG GCC TTC GTG CTC TCT CTA CTC ATG GCC CTG GTG CTG GTC AGC TAC
Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr
1 5 10 15

48

GGC	CCA	GGA	GGA	TCC	CTG	GGT	TGT	GAC	CTG	TCT	CAG	AAC	CAC	GTG	CTG	96	
Gly	Pro	Gly	Gly	Ser	Leu	Gly	Cys	Asp	Leu	Ser	Gln	Asn	His	Val	Leu		
20								25				30					
GTT	GGC	AGG	AAG	AAC	CTC	AGG	CTC	CTG	GAC	GAA	ATG	AGG	AGA	CTC	TCC	144	
Val	Gly	Arg	Lys	Asn	Leu	Arg	Leu	Leu	Asp	Glu	Met	Arg	Arg	Leu	Ser		
35								40				45					
CCT	CGC	TTT	TGT	CTG	CAG	GAC	AGA	AAA	GAC	TTC	GCT	TTA	CCC	CAG	GAA	192	
Pro	Arg	Phe	Cys	Leu	Gln	Asp	Arg	Lys	Asp	Phe	Ala	Leu	Pro	Gln	Glu		
50								55				60					
ATG	GTG	GAG	GGC	GGC	CAG	CTC	CAG	GAG	GCC	CAG	GCC	ATC	TCT	GTG	CTC	240	
Met	Val	Glu	Gly	Gly	Gln	Leu	Gln	Glu	Ala	Gln	Ala	Ile	Ser	Val	Leu		
65								70				75				80	
CAT	GAG	ATG	CTC	CAG	CAG	AGC	TTC	AAC	CTC	TTC	CAC	ACA	GAG	CAC	TCC	288	
His	Glu	Met	Leu	Gln	Gln	Ser	Phe	Asn	Leu	Phe	His	Thr	Glu	His	Ser		
				85								90				95	
TCT	GCT	GCC	TGG	GAC	ACC	ACC	CTC	CTG	GAG	CAG	CTC	CGC	ACT	GGA	CTC	336	
Ser	Ala	Ala	Trp	Asp	Thr	Thr	Leu	Leu	Glu	Gln	Leu	Arg	Thr	Gly	Leu		
				100								105				110	
CAT	CAG	CAG	CTG	GAC	AAC	CTG	GAT	GCC	TGC	CTG	GGG	CAG	GTG	ATG	GGA	384	
His	Gln	Gln	Leu	Asp	Asn	Leu	Asp	Ala	Cys	Leu	Gly	Gln	Val	Met	Gly		
115								120				125					
GAG	GAA	GAC	TCT	GCC	CTG	GGA	AGG	ACG	GGC	CCC	ACC	CTG	GCT	CTG	AAG	432	
Glu	Glu	Asp	Ser	Ala	Leu	Gly	Arg	Thr	Gly	Pro	Thr	Leu	Ala	Leu	Lys		
130								135				140					
AGG	TAC	TTC	CAG	GGC	ATC	CAT	GTC	TAC	CTG	AAA	GAG	AAG	GGA	TAC	AGC	480	
Arg	Tyr	Phe	Gln	Gly	Ile	His	Val	Tyr	Leu	Lys	Glu	Lys	Gly	Tyr	Ser		
145								150				155				160	
GAC	TGC	GCC	TGG	GAA	ACC	GTC	AGA	CTG	GAA	ATC	ATG	AGA	TCC	TTC	TCT	528	
Asp	Cys	Ala	Trp	Glu	Thr	Val	Arg	Leu	Glu	Ile	Met	Arg	Ser	Phe	Ser		
				165								170				175	

TCA TTA ATC AGC TTG CAA GAA AGG TTA AGA ATG ATG GAT GGA GAC CTG 576
 Ser Leu Ile Ser Leu Gln Glu Arg Leu Arg Met Met Asp Gly Asp Leu
 180 185 190

AGC TCA CCT TGA 588
 Ser Ser Pro
 195

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 195 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence
 of SEQ ID NO:11 (HuIFNtau1).

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr
 1 5 10 15
 Gly Pro Gly Gly Ser Leu Gly Cys Asp Leu Ser Gln Asn His Val Leu
 20 25 30
 Val Gly Arg Lys Asn Leu Arg Leu Leu Asp Glu Met Arg Arg Leu Ser
 35 40 45
 Pro Arg Phe Cys Leu Gln Asp Arg Lys Asp Phe Ala Leu Pro Gln Glu
 50 55 60
 Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser Val Leu
 65 70 75 80
 His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser
 85 90 95

Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu
100 105 110

His Gln Gln Leu Asp Asn Leu Asp Ala Cys Leu Gly Gln Val Met Gly
115 120 125

Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Leu Lys
130 135 140

Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys Gly Tyr Ser
145 150 155 160

Asp Cys Ala Trp Glu Thr Val Arg Leu Glu Ile Met Arg Ser Phe Ser
165 170 175

Ser Leu Ile Ser Leu Gln Glu Arg Leu Arg Met Met Asp Gly Asp Leu
180 185 190

Ser Ser Pro
195

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 bases
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (synthetic)

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: 25-mer synthetic oligonucleotide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

CCTGTCTGCA GGACAGAAAA GACTT

(2) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 25 bases
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (synthetic)

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: 25-mer synthetic oligonucleotide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

TCTGAATTCT GACGATTTC CAGGC

25

(2) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 37 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
1-37 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Arg Lys Asn Leu Arg
1 5 10 15

Leu Leu Asp Glu Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp
20 25 30

Arg Lys Asp Phe Ala
35

[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp
1 5 10 15

Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln
20 25 30

(2) INFORMATION FOR SEQ ID NO:18:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 33 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
90-122 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

His Gln Gln Leu Asp Asn Leu Asp Ala Cys Leu Gly Gln Val Met Gly
1 5 10 15

Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Leu Lys
20 25 30

Arg

(2) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 32 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

[illegible]

Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln
20 25 30

1

1. 100
 2. 100
 3. 100
 4. 100
 5. 100
 6. 100
 7. 100
 8. 100
 9. 100
 10. 100

1999

1000

Keywords: child sexual abuse; disclosure; self-blame; victim blaming

1000

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
119-150 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

Ala Leu Lys Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys
1 5 10 15

Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val Arg Leu Glu Ile Met Arg
20 25 30

(2) INFORMATION FOR SEQ ID NO:20:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 34 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: peptide

(iii) HYPOTHETICAL: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
139-172 of SEQ ID NO:4

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

Cys Ala Trp Glu Thr Val Arg Leu Glu Ile Met Arg Ser Phe Ser Ser
1 5 10 15

Leu Ile Ser Leu Gln Glu Arg Leu Arg Met Met Asp Gly Asp Leu Ser
20 25 30

Ser Pro

(2) INFORMATION FOR SEQ ID NO:21:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 299 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau6

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 2..298

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

C CAG GAG ATG GTG GAG GGC GGC CAG CTC CAG GAG GCC CAG GCC ATC	46
Gln Glu Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile	
1 5 10 15	
TCT GTG CTC CAC AAG ATG CTC CAG CAG AGC TTC AAC CTC TTC CAC ACA	94
Ser Val Leu His Lys Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr	
20 25 30	
GAG CGC TCC TCT GCT GCC TGG GAC ACC ACC CTC CTG GAG CAG CTC CGC	142
Glu Arg Ser Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg	
35 40 45	
ACT GGA CTC CAT CAG CAG CTG GAT GAC CTG GAC GCC TGC CTG GGG CAG	190
Thr Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln	
50 55 60	
GTG ACG GGA GAG GAA GAC TCT GCC CTG GGA AGG ACG GGC CCC ACC CTG	238
Val Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu	
65 70 75	

GCC GTG AAG AGC TAC TTC CAG GGC ATC CAT ATC TAC CTG CAA GAG AAG 286
 Ala Val Lys Ser Tyr Phe Gln Gly Ile His Ile Tyr Leu Gln Glu Lys
 80 85 90 95

GGA TAC AGC GAC T 299
 Gly Tyr Ser Asp

(2) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 99 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence
 of SEQ ID NO:21 (HuIFNtau6).

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

Gln	Glu	Met	Val	Glu	Gly	Gly	Gln	Leu	Gln	Glu	Ala	Gln	Ala	Ile	Ser	1	5	10	15
Val	Leu	His	Lys	Met	Leu	Gln	Gln	Ser	Phe	Asn	Leu	Phe	His	Thr	Glu	20	25	30	
Arg	Ser	Ser	Ala	Ala	Trp	Asp	Thr	Thr	Leu	Leu	Glu	Gln	Leu	Arg	Thr	35	40	45	
Gly	Leu	His	Gln	Gln	Leu	Asp	Asp	Leu	Asp	Ala	Cys	Leu	Gly	Gln	Val	50	55	60	
Thr	Gly	Glu	Glu	Asp	Ser	Ala	Leu	Gly	Arg	Thr	Gly	Pro	Thr	Leu	Ala	65	70	75	80
Val	Lys	Ser	Tyr	Phe	Gln	Gly	Ile	His	Ile	Tyr	Leu	Gln	Glu	Lys	Gly	85	90	95	
Tyr	Ser	Asp																	

(2) INFORMATION FOR SEQ ID NO:23:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 288 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau7

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 2..286

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

C CAG GAG ATG GTG GAG GTC AGC CAG TTC CAG GAG GCC CAG GCC ATT	46
Gln Glu Met Val Glu Val Ser Gln Phe Gln Glu Ala Gln Ala Ile	
1 5 10 15	
TCT GTG CTC CAT GAG ATG CTC CAG CAG AGC TTC AAC CTC TTC CAC AAA	94
Ser Val Leu His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Lys	
20 25 30	
GAG CGC TCC TCT GCT GCC TGG GAC ACT ACC CTC CTG GAG CAG CTC CTC	142
Glu Arg Ser Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Leu	
35 40 45	
ACT GGA CTC CAT CAG CAG CTG GAT GAC CTG GAT GCC TGT CTG GGG CAG	190
Thr Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln	
50 55 60	

TTG	ACT	GGA	GAG	GAA	GAC	TCT	GCC	CTG	GGA	AGG	ACG	GGC	CCC	ACC	CTG	238
Leu	Thr	Gly	Glu	Glu	Asp	Ser	Ala	Leu	Gly	Arg	Thr	Gly	Pro	Thr	Leu	
65						70						75				
GCC	GTG	AAG	AGC	TAC	TTC	CAG	GGC	ATC	CAT	GTC	TAC	CTG	CAA	GAG	AAG	286
Ala	Val	Lys	Ser	Tyr	Phe	Gln	Gly	Ile	His	Val	Tyr	Leu	Gln	Glu	Lys	
80						85						90			95	
GG															288	

(2) INFORMATION FOR SEQ ID NO:24:

(A) LENGTH: 95 amino acids

(D) TOPOLOGY: linear

(vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

Val Lys Ser Tyr Phe Gln Gly Ile His Val Tyr Leu Gln Glu Lys
85 90 95

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 307 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: HuIFNtau4

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 2..307

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

C	CAG	GAG	ATG	GTG	GAG	GGT	GGC	CAG	CTC	CAG	GAG	GCC	CAG	GCC	ATC	46
	Gln	Glu	Met	Val	Glu	Gly	Gly	Gln	Leu	Gln	Glu	Ala	Gln	Ala	Ile	
1					5					10					15	
TCT	GTG	CTC	CAC	GAG	ATG	CTC	CAG	CAG	AGC	TTC	AAC	CTC	TTC	CAC	ACA	94
Ser	Val	Leu	His	Glu	Met	Leu	Gln	Gln	Ser	Phe	Asn	Leu	Phe	His	Thr	
					20					25					30	
GAG	CAC	TCC	TCT	GCT	GCC	TGG	GAC	ACC	ACC	CTC	CTG	GAG	CAG	CTC	CGC	142
Glu	His	Ser	Ser	Ala	Ala	Trp	Asp	Thr	Thr	Leu	Leu	Glu	Gln	Leu	Arg	
					35					40					45	

ACT GGA CTC CAT CAG CAG CTG GAT GAC CTG GAT GCC TGC CTG GGG CAG 190
 Thr Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln
 50 55 60

GTG ACG GGA GAG GAA GAC TCT GCC CTG GGA AGG ACG GGC CCC ACC CTG 238
 Val Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu
 65 70 75

GCC ATG AAG ACG TAT TTC CAG GGC ATC CAT GTC TAC CTG AAA GAG AAG 286
 Ala Met Lys Thr Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys
 80 85 90 95

GGA TAT AGT GAC TGC GCC TGG 307
 Gly Tyr Ser Asp Cys Ala Trp
 100

(2) INFORMATION FOR SEQ ID NO:26:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 102 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence
 of SEQ ID NO:25 (HuIFNtau4).

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

Gln Glu Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser
 1 5 10 15

Val Leu His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu
 20 25 30

His Ser Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr
 35 40 45

Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Val
50 55 60

Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala
65 70 75 80

Met Lys Thr Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys Gly
85 90 95

Tyr Ser Asp Cys Ala Trp
100

(2) INFORMATION FOR SEQ ID NO:27:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 294 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: HuIFNtau5

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 2..292

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

C CAG GAG ATG GTG GAG GGT GGC CAG CTC CAG GAG GCC CAG GCC ATC
Gln Glu Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile
1 5 10 15

46

TCT GTG CTC CAC GAG ATG CTC CAG CAG AGC TTC AAC CTC TTC CAC ACA	94
Ser Val Leu His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr	
20 25 30	
GAG CAC TCC TCT GCT GCC TGG GAC ACC ACC CTC CTG GAG CAG CTC CGC	142
Glu His Ser Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg	
35 40 45	
ACT GGA CTC CAT CAG CAG CTG GAT GAC CTG GAT GCC TGC CTG GGG CAG	190
Thr Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln	
50 55 60	
GTG ACG GGA GAG GAA GAC TCT GCC CTG GGA AGG ACG GGC CCC ACC CTG	238
Val Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu	
65 70 75	
GCC ATG AAG ACG TAT TTC CAG GGC ATC CAT GTC TAC CTG AAA GAG AAG	286
Ala Met Lys Thr Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys	
80 85 90 95	
GGA TAT AG	294
Gly Tyr	

(2) INFORMATION FOR SEQ ID NO:28:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 97 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence of SEQ ID NO:27 (HuIFNtau5).

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Gln	Glu	Met	Val	Glu	Gly	Gly	Gln	Leu	Gln	Glu	Ala	Gln	Ala	Ile	Ser
1					5				10				15		

Val Leu His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu
20 25 30

His Ser Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr
35 40 45

Gly Leu His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Val
50 55 60

Thr Gly Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala
65 70 75 80

Met Lys Thr Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys Gly
85 90 95

Tyr

(2) INFORMATION FOR SEQ ID NO:29:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 516 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau2

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..516

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

GAC CTG TCT CAG AAC CAC GTG CTG GTT GGC AGG AAG AAC CTC AGG CTC
Asp Leu Ser Gln Asn His Val Leu Val Gly Arg Lys Asn Leu Arg Leu
1 5 10 15

48

CTG GAC CAA ATG AGG AGA CTC TCC CCT CGC TTT TGT CTG CAG GAC AGA	96
Leu Asp Gln Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp Arg	
20 25 30	
AAA GAC TTC GCT TTA CCC TAG GAA ATG GTG GAG GGC GGC CAG CTC CAG	144
Lys Asp Phe Ala Leu Pro Glu Met Val Glu Gly Gly Gln Leu Gln	
35 40 45	
GAG GCC CAG GCC ATC TCT GTG CTC CAT GAG ATG CTC CAG CAG AGC TTC	192
Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser Phe	
50 55 60	
AAC CTC TTC CAC ACA GAG CAC TCC TCT GCT GCC TGG GAC ACC ACC CTC	240
Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr Leu	
65 70 75 80	
CTG GAG CAG CTC CGC ACT GGA CTC CAT CAG CAG CTG GAC AAC CTG GAT	288
Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asn Leu Asp	
85 90 95	
GCC TGC CTG GGG CAG GTG ATG GGA GAG GAA GAC TCT GCC CTG GGA AGG	336
Ala Cys Leu Gly Gln Val Met Gly Glu Glu Asp Ser Ala Leu Gly Arg	
100 105 110	
ACG GGC CCC ACC CTG GCT CTG AAG AGG TAC TTC CAG GGC ATC CAT GTC	384
Thr Gly Pro Thr Leu Ala Leu Lys Arg Tyr Phe Gln Gly Ile His Val	
115 120 125	
TAC CTG AAA GAG AAG GGA TAC AGC GAC TGC GCC TGG GAA ACC GTC AGA	432
Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val Arg	
130 135 140	
GTG GAA ATC ATG AGA TCC TTC TCT TCA TTA ATC AGC TTG CAA GAA AGG	480
Val Glu Ile Met Arg Ser Phe Ser Ser Leu Ile Ser Leu Gln Glu Arg	
145 150 155 160	
TTA AGA ATG ATG GAT GGA GAC CTG AGC TCA CCT TGA	516
Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro	
165 170	

(ix) FEATURE:

[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

Thr Gly Pro Thr Leu Ala Leu Lys Arg Tyr Phe Gln Gly Ile His Val
 115 120 125

Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val Arg
 130 135 140

Val Glu Ile Met Arg Ser Phe Ser Ser Leu Ile Ser Leu Gln Glu Arg
 145 150 155 160

Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
 165 170

(ix) FEATURE:

(A) NAME/KEY: Modified-site

(B) LOCATION: 39

(D) OTHER INFORMATION: /note= "where Xaa a selected amino acid,
 for example, Gln"

(2) INFORMATION FOR SEQ ID NO:31:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 588 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtau3

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..588

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

ATG GCC TTC GTG CTC TCT CTA CTC ATG GCC CTG GTG CTG GTC AGC TAC	48
Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr	
1 5 10 15	
GGC CCG GGA GGA TCC CTG CGG TGT GAC CTG TCT CAG AAC CAC GTG CTG	96
Gly Pro Gly Gly Ser Leu Arg Cys Asp Leu Ser Gln Asn His Val Leu	
20 25 30	
GTT GGC AGC CAG AAC CTC AGG CTC CTG GGC CAA ATG AGG AGA CTC TCC	144
Val Gly Ser Gln Asn Leu Arg Leu Leu Gly Gln Met Arg Arg Leu Ser	
35 40 45	
CTT CGC TTC TGT CTG CAG GAC AGA AAA GAC TTC GCT TTC CCC CAG GAG	192
Leu Arg Phe Cys Leu Gln Asp Arg Lys Asp Phe Ala Phe Pro Gln Glu	
50 55 60	
ATG GTG GAG GGT GGC CAG CTC CAG GAG GCC CAG GCC ATC TCT GTG CTC	240
Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser Val Leu	
65 70 75 80	
CAC GAG ATG CTC CAG CAG AGC TTC AAC CTC TTC CAC ACA GAG CAC TCC	288
His Glu Met Leu Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser	
85 90 95	
TCT GCT GCC TGG GAC ACC ACC CTC CTG GAG CAG CTC CGC ACT GGA CTC	336
Ser Ala Ala Trp Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu	
100 105 110	
CAT CAG CAG CTG GAT GAC CTG GAT GCC TGC CTG GGG CAG GTG ACG GGA	384
His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Val Thr Gly	
115 120 125	
GAG GAA GAC TCT GCC CTG GGA AGA ACG GGC CCC ACC CTG GCC ATG AAG	432
Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Met Lys	
130 135 140	
AGG TAT TTC CAG GGC ATC CAT GTC TAC CTG AAA GAG AAG GGA TAT AGT	480
Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys Gly Tyr Ser	
145 150 155 160	

GAC TGC GCC TGG GAA ATT GTC AGA CTG GAA ATC ATG AGA TCC TTG TCT	528
Asp Cys Ala Trp Glu Ile Val Arg Leu Glu Ile Met Arg Ser Leu Ser	
165 170 175	
TCA TCA ACC AGC TTG CAC AAA AGG TTA AGA ATG ATG GAT GGA GAC CTG	576
Ser Ser Thr Ser Leu His Lys Arg Leu Arg Met Met Asp Gly Asp Leu	
180 185 190	
AGC TCA CCT TGA	588
Ser Ser Pro	
195	

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 195 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: predicted amino acid coding sequence of SEQ ID NO:31 (HuIFNtau3)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr	
1 5 10 15	
Gly Pro Gly Gly Ser Leu Arg Cys Asp Leu Ser Gln Asn His Val Leu	
20 25 30	
Val Gly Ser Gln Asn Leu Arg Leu Leu Gly Gln Met Arg Arg Leu Ser	
35 40 45	
Leu Arg Phe Cys Leu Gln Asp Arg Lys Asp Phe Ala Phe Pro Gln Glu	
50 55 60	
Met Val Glu Gly Gly Gln Leu Gln Glu Ala Gln Ala Ile Ser Val Leu	
65 70 75 80	

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..518

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

TGT GAC CTG TCT CAG AAC CAC GTG CTG GTT GGC AGC CAG AAC CTC AGG	48
Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Ser Gln Asn Leu Arg	
1 5 10 15	
CTC CTG GGC CAA ATG AGG AGA CTC TCC CTT CGC TTC TGT CTG CAG GAC	96
Leu Leu Gly Gln Met Arg Arg Leu Ser Leu Arg Phe Cys Leu Gln Asp	
20 25 30	
AGA AAA GAC TTC GCT TTC CCC CAG GAG ATG GTG GAG GGT GGC CAG CTC	144
Arg Lys Asp Phe Ala Phe Pro Gln Glu Met Val Glu Gly Gly Gln Leu	
35 40 45	
CAG GAG GCC CAG GCC ATC TCT GTG CTC CAC GAG ATG CTC CAG CAG AGC	192
Gln Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser	
50 55 60	
TTC AAC CTC TTC CAC ACA GAG CAC TCC TCT GCT GCC TGG GAC ACC ACC	240
Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr	
65 70 75 80	
CTC CTG GAG CAG CTC CGC ACT GGA CTC CAT CAG CAG CTG GAT GAC CTG	288
Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asp Leu	
85 90 95	
GAT GCC TGC CTG GGG CAG GTG ACG GGA GAG GAA GAC TCT GCC CTG GGA	336
Asp Ala Cys Leu Gly Gln Val Thr Gly Glu Glu Asp Ser Ala Leu Gly	
100 105 110	
AGA ACG GGC CCC ACC CTG GCC ATG AAG AGG TAT TTC CAG GGC ATC CAT	384
Arg Thr Gly Pro Thr Leu Ala Met Lys Arg Tyr Phe Gln Gly Ile His	
115 120 125	
GTC TAC CTG AAA GAG AAG GGA TAT AGT GAC TGC GCC TGG GAA ATT GTC	432
Val Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val	
130 135 140	

AGA CTG GAA ATC ATG AGA TCC TTG TCT TCA TCA ACC AGC TTG CAC AAA 480
 Arg Leu Glu Ile Met Arg Ser Leu Ser Ser Ser Thr Ser Leu His Lys
 145 150 155 160

AGG TTA AGA ATG ATG GAT GGA GAC CTG AGC TCA CCT TG 518
 Arg Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
 165 170

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 172 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Ser Gln Asn Leu Arg
 1 5 10 15
 Leu Leu Gly Gln Met Arg Arg Leu Ser Leu Arg Phe Cys Leu Gln Asp
 20 25 30
 Arg Lys Asp Phe Ala Phe Pro Gln Glu Met Val Glu Gly Gly Gln Leu
 35 40 45
 Gln Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser
 50 55 60
 Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr
 65 70 75 80
 Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asp Leu
 85 90 95
 Asp Ala Cys Leu Gly Gln Val Thr Gly Glu Glu Asp Ser Ala Leu Gly
 100 105 110

Arg Thr Gly Pro Thr Leu Ala Met Lys Arg Tyr Phe Gln Gly Ile His
115 120 125

Val Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val
130 135 140

Arg Leu Glu Ile Met Arg Ser Leu Ser Ser Ser Thr Ser Leu His Lys
145 150 155 160

Arg Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro
165 170

(2) INFORMATION FOR SEQ ID NO:35:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 37 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
1-37 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Ser Gln Asn Leu Arg
1 5 10 15

Leu Leu Gly Gln Met Arg Arg Leu Ser Leu Arg Phe Cys Leu Gln Asp
20 25 30

Arg Lys Asp Phe Ala
35

(2) INFORMATION FOR SEQ ID NO:36:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 amino acids
- (B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
34-64 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

Lys Asp Phe Ala Phe Pro Gln Glu Met Val Glu Gly Gly Gln Leu Gln
1 5 10 15
Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser
20 25 30

(2) INFORMATION FOR SEQ ID NO:37:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 31 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
62-92 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

Gln Gln Ser Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp
1 5 10 15
Asp Thr Thr Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln
20 25 30

(2) INFORMATION FOR SEQ ID NO:38:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 33 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
90-122 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

His Gln Gln Leu Asp Asp Leu Asp Ala Cys Leu Gly Gln Val Thr Gly
1 5 10 15

Glu Glu Asp Ser Ala Leu Gly Arg Thr Gly Pro Thr Leu Ala Met Lys
20 25 30

Arg

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 32 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
119-150 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

Ala Met Lys Arg Tyr Phe Gln Gly Ile His Val Tyr Leu Lys Glu Lys
1 5 10 15

Gly Tyr Ser Asp Cys Ala Trp Glu Ile Val Arg Leu Glu Ile Met Arg
20 25 30

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 34 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
139-172 of SEQ ID NO:33

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Cys Ala Trp Glu Ile Val Arg Leu Glu Ile Met Arg Ser Leu Ser Ser
1 5 10 15
Ser Thr Ser Leu His Lys Arg Leu Arg Met Met Asp Gly Asp Leu Ser
20 25 30
Ser Pro

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 23 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
1-23 of SEQ ID NO:32

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr
 1 5 10 15
 Gly Pro Gly Gly Ser Leu Arg
 20

(2) INFORMATION FOR SEQ ID NO:42:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 23 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(vi) ORIGINAL SOURCE:

- (C) INDIVIDUAL ISOLATE: Amino acid sequence of fragment
 1-23 of SEQ ID NO:11

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

Met Ala Phe Val Leu Ser Leu Leu Met Ala Leu Val Leu Val Ser Tyr
 1 5 10 15
 Gly Pro Gly Gly Ser Leu Gly
 20

(2) INFORMATION FOR SEQ ID NO:43:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 519 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(vi) ORIGINAL SOURCE:

(C) INDIVIDUAL ISOLATE: HuIFNtaul genomic-derived
DNA coding sequence, without leader seq.

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 1..519

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

TGT GAC CTG TCT CAG AAC CAC GTG CTG GTT GGC AGG AAG AAC CTC AGG	48
Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Arg Lys Asn Leu Arg	
1 5 10 15	
CTC CTG GAC GAA ATG AGG AGA CTC TCC CCT CGC TTT TGT CTG CAG GAC	96
Leu Leu Asp Glu Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp	
20 25 30	
AGA AAA GAC TTC GCT TTA CCC CAG GAA ATG GTG GAG GGC GGC CAG CTC	144
Arg Lys Asp Phe Ala Leu Pro Gln Glu Met Val Glu Gly Gly Gln Leu	
35 40 45	
CAG GAG GCC CAG GCC ATC TCT GTG CTC CAT GAG ATG CTC CAG CAG AGC	192
Gln Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser	
50 55 60	
TTC AAC CTC TTC CAC ACA GAG CAC TCC TCT GCT GCC TGG GAC ACC ACC	240
Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr	
65 70 75 80	
CTC CTG GAG CAG CTC CGC ACT GGA CTC CAT CAG CAG CTG GAC AAC CTG	288
Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asn Leu	
85 90 95	
GAT GCC TGC CTG GGG CAG GTG ATG GGA GAG GAA GAC TCT GCC CTG GGA	336
Asp Ala Cys Leu Gly Gln Val Met Gly Glu Glu Asp Ser Ala Leu Gly	
100 105 110	
AGG ACG GGC CCC ACC CTG GCT CTG AAG AGG TAC TTC CAG GGC ATC CAT	384
Arg Thr Gly Pro Thr Leu Ala Leu Lys Arg Tyr Phe Gln Gly Ile His	
115 120 125	

GTC TAC CTG AAA GAG AAG GGA TAC AGC GAC TGC GCC TGG GAA ACC GTC	432
Val Tyr Leu Lys Glu Lys Gly Tyr Ser Asp Cys Ala Trp Glu Thr Val	
130 135 140	
AGA CTG GAA ATC ATG AGA TCC TTC TCT TCA TTA ATC AGC TTG CAA GAA	480
Arg Leu Glu Ile Met Arg Ser Phe Ser Ser Leu Ile Ser Leu Gln Glu	
145 150 155 160	
AGG TTA AGA ATG ATG GAT GGA GAC CTG AGC TCA CCT TGA	519
Arg Leu Arg Met Met Asp Gly Asp Leu Ser Ser Pro	
165 170	

(2) INFORMATION FOR SEQ ID NO:44:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 172 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:

Cys Asp Leu Ser Gln Asn His Val Leu Val Gly Arg Lys Asn Leu Arg	
1 5 10 15	
Leu Leu Asp Glu Met Arg Arg Leu Ser Pro Arg Phe Cys Leu Gln Asp	
20 25 30	
Arg Lys Asp Phe Ala Leu Pro Gln Glu Met Val Glu Gly Gly Gln Leu	
35 40 45	
Gln Glu Ala Gln Ala Ile Ser Val Leu His Glu Met Leu Gln Gln Ser	
50 55 60	
Phe Asn Leu Phe His Thr Glu His Ser Ser Ala Ala Trp Asp Thr Thr	
65 70 75 80	
Leu Leu Glu Gln Leu Arg Thr Gly Leu His Gln Gln Leu Asp Asn Leu	
85 90 95	

Asp	Ala	Cys	Leu	Gly	Gln	Val	Met	Gly	Glu	Glu	Asp	Ser	Ala	Leu	Gly
			100					105					110		
Arg	Thr	Gly	Pro	Thr	Leu	Ala	Leu	Lys	Arg	Tyr	Phe	Gln	Gly	Ile	His
		115					120					125			
Val	Tyr	Leu	Lys	Glu	Lys	Gly	Tyr	Ser	Asp	Cys	Ala	Trp	Glu	Thr	Val
	130					135					140				
Arg	Leu	Glu	Ile	Met	Arg	Ser	Phe	Ser	Ser	Leu	Ile	Ser	Leu	Gln	Glu
145					150					155				160	
Arg	Leu	Arg	Met	Met	Asp	Gly	Asp	Leu	Ser	Ser	Pro				
				165					170						